

Always use as directed. High strength formulation for control of harmful Cyanobacteria and algae in lakes, ponds, drinking water reservoirs, irrigation, drainage ditches, estuaries, water gardens and water features, impounded water and wastewater, aquaculture.

Apply 1 to 30 g per m³ of water by broadcasting or use of a mechanical spreader. Use lower dose rates for controlling algae soon after growth starts. Use larger dose rates to treat heavier blooms.

	MAXIMUM Dosage Rate by Volume				
	Volume	lm³	10m ³	100m³	1000m ³
	Dosage	1 - 30g	10 - 300g	0.1 - 3kg	1 - 30kg

Note: Decaying algae can deplete dissolved oxygen which can lead to fish kill, if excessive. Apply with 8 to 10 hours of daylight remaining. Do not reapply within 48 hours. If treating a large lake or heavy bloom, treat 1/3 to 1/2 of the area and wait 2 to 3 days before treating remainder of water.

May intensify fire; oxidizer. Harmful if swallowed. Causes serious eye irritation. Harmful to terrestrial vertebrates.

PRECAUTIONARY STATEMENTS KEEP OUT OF REACH OF CHILDREN. READ LABEL BEFORE

PREVENTION:

Keep out of reach of children. Keep away from sparks and flames. No smoking. Keep and store away from clothing, incompatible materials, combustible materials. Take any precaution to avoid mixing with combustibles and incompatible materials. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves protective protective clothing and eye protection.

FIRST AID

IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice.

In case of Fire: Use coarse water spray, normal foam, dry agent (carbon dioxide, dry chemical powder) for extinction.

STORAGE:

Store in accordance with local regulations. Store in original, closed container in a dry location away from heat and out of direct sunlight. Do not return unused product to container.

DISPOSAL:

Dispose of contents and container in accordance with NZ Hazardous Substances Disposal Notice 2017, Section 9.

ADDITIONAL INFO:

HSR002684

Not to be used for agricultural or veterinary purposes.

Emergency Telephone Number: 0800 764 766



DANGER



SODIUM PERCARBONATE PEROXYHYDRATE Class: 5.1 UN No. 3378 PG: III Hazchem: 1Y

Manufactured by

Parklink – New Zealand Phone: 0800 PARKLINK Email: info@parklink.co.nz

Parklink – Australia Phone: +61 07 3559 2722 info@parklink.com.au



Item No. 310

2kg

10kg

20kg